

**Listing of Claims:**

- $$\text{D}-\text{NH}-\text{C}(=\text{O})-\text{X}-\text{CH}(\text{R}^1)-\text{C}(=\text{O})-\text{NH}-\text{W}-\text{Y}-\text{T}$$

D denotes phenyl or pyridyl, each of which is unsubstituted or mono- or polysubstituted by Hal, A, OR<sup>2</sup>, N(R<sup>2</sup>)<sub>2</sub>, NO<sub>2</sub>, CN, COOR<sup>2</sup> or CON(R<sup>2</sup>)<sub>2</sub>,

R<sup>1</sup> denotes A, which is mono-, di- or trisubstituted by S(O)<sub>m</sub>R<sup>2</sup>, SO<sub>2</sub>N(R<sup>2</sup>)<sub>2</sub>, SO<sub>3</sub>R<sup>2</sup>, S(=O)(=NR<sup>2</sup>)R<sup>2</sup>, NR<sup>2</sup>SO<sub>2</sub>R<sup>2</sup>, OSO<sub>2</sub>R<sup>2</sup>, OSO<sub>2</sub>N(R<sup>2</sup>)<sub>2</sub> or PO(OR<sup>2</sup>)<sub>2</sub> and may additionally be mono- or disubstituted by OR<sup>3</sup>, N(R<sup>3</sup>)<sub>2</sub>, CN, COOR<sup>3</sup> or CON(R<sup>3</sup>)<sub>2</sub>,

R<sup>2</sup> denotes H, A, -[C(R<sup>3</sup>)<sub>2</sub>]<sub>n</sub>-Ar', -[C(R<sup>3</sup>)<sub>2</sub>]<sub>n</sub>-Het', -[C(R<sup>3</sup>)<sub>2</sub>]<sub>n</sub>-cycloalkyl, -[C(R<sup>3</sup>)<sub>2</sub>]<sub>n</sub>-N(R<sup>3</sup>)<sub>2</sub> or -[C(R<sup>3</sup>)<sub>2</sub>]<sub>n</sub>-OR<sup>3</sup>,

R<sup>3</sup> denotes H or A,

W denotes -[C(R<sup>3</sup>)<sub>2</sub>]<sub>n</sub>-,

X denotes NR<sup>3</sup> or O,

Y denotes alkylene, cycloalkylene, Het-diyl or Ar-diyl,

T denotes a mono- or bicyclic saturated, unsaturated or aromatic carbo- or heterocycle having 0 to 4 N, O and/or S atoms, which may be mono-, di- or trisubstituted by =O, R<sup>2</sup>, Hal, A, -[C(R<sup>3</sup>)<sub>2</sub>]<sub>n</sub>-Ar, -[C(R<sup>3</sup>)<sub>2</sub>]<sub>n</sub>-Het, -[C(R<sup>3</sup>)<sub>2</sub>]<sub>n</sub>-cycloalkyl, OR<sup>2</sup>, N(R<sup>2</sup>)<sub>2</sub>, NO<sub>2</sub>, CN, COOR<sup>2</sup>, CON(R<sup>2</sup>)<sub>2</sub>, NR<sup>2</sup>COA, NR<sup>2</sup>CON(R<sup>2</sup>)<sub>2</sub>, NR<sup>2</sup>SO<sub>2</sub>A, COR<sup>2</sup>, SO<sub>2</sub>NR<sup>2</sup> and/or S(O)<sub>n</sub>A, or N(R<sup>2</sup>)<sub>2</sub> and, if Y = piperidine-1,4-diyl, also R<sup>2</sup> or cycloalkyl,

A	denotes unbranched or branched alkyl having 1-10 C atoms, in which one or two CH <sub>2</sub> groups may be replaced by O or S atoms and/or by -CH=CH- groups and/or also 1-7 H atoms may be replaced by F,
Ar	denotes phenyl, naphthyl or biphenyl, each of which is unsubstituted or mono-, di- or trisubstituted by Hal, A, OR <sup>2</sup> , N(R <sup>2</sup> ) <sub>2</sub> , NO <sub>2</sub> , CN, COOR <sup>2</sup> , CON(R <sup>2</sup> ) <sub>2</sub> , NR <sup>2</sup> COA, NR <sup>2</sup> SO <sub>2</sub> A, COR <sup>2</sup> , SO <sub>2</sub> N(R <sup>2</sup> ) <sub>2</sub> , -[C(R <sup>3</sup> ) <sub>2</sub> ] <sub>n</sub> -COOR <sup>2</sup> , -O-[C(R <sup>3</sup> ) <sub>2</sub> ] <sub>o</sub> -COOR <sup>2</sup> , SO <sub>3</sub> H or S(O) <sub>n</sub> A,
Ar'	denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, A, OR <sup>3</sup> , N(R <sup>3</sup> ) <sub>2</sub> , NO <sub>2</sub> , CN, COOR <sup>3</sup> , CON(R <sup>3</sup> ) <sub>2</sub> , NR <sup>3</sup> COA, NR <sup>3</sup> CON(R <sup>3</sup> ) <sub>2</sub> , NR <sup>3</sup> SO <sub>2</sub> A, COR <sup>3</sup> , SO <sub>2</sub> N(R <sup>3</sup> ) <sub>2</sub> , S(O) <sub>n</sub> A, -[C(R <sup>3</sup> ) <sub>2</sub> ] <sub>n</sub> -COOR <sup>3</sup> or -O-[C(R <sup>3</sup> ) <sub>2</sub> ] <sub>o</sub> -COOR <sup>3</sup> ,
Het	denotes a mono- or bicyclic saturated, unsaturated or aromatic heterocycle having 1 to 4 N, O and/or S atoms, which may be unsubstituted or mono-, di- or trisubstituted by carbonyl oxygen (=O), =S, =N(R <sup>2</sup> ) <sub>2</sub> , Hal, A, -[C(R <sup>3</sup> ) <sub>2</sub> ] <sub>n</sub> -Ar, -[C(R <sup>3</sup> ) <sub>2</sub> ] <sub>n</sub> -Het', -[C(R <sup>3</sup> ) <sub>2</sub> ] <sub>n</sub> -cycloalkyl, -[C(R <sup>3</sup> ) <sub>2</sub> ] <sub>n</sub> -OR <sup>2</sup> , -[C(R <sup>3</sup> ) <sub>2</sub> ] <sub>n</sub> -N(R <sup>3</sup> ) <sub>2</sub> , NO <sub>2</sub> , CN, -[C(R <sup>3</sup> ) <sub>2</sub> ] <sub>n</sub> -COOR <sup>2</sup> , -[C(R <sup>3</sup> ) <sub>2</sub> ] <sub>n</sub> -CON(R <sup>2</sup> ) <sub>2</sub> , -[C(R <sup>3</sup> ) <sub>2</sub> ] <sub>n</sub> -NR <sup>2</sup> COA, NR <sup>2</sup> CON(R <sup>2</sup> ) <sub>2</sub> , -[C(R <sup>3</sup> ) <sub>2</sub> ] <sub>n</sub> -NR <sup>2</sup> SO <sub>2</sub> A, COR <sup>2</sup> , SO <sub>2</sub> N(R <sup>2</sup> ) <sub>2</sub> and/or S(O) <sub>n</sub> A,
Het'	denotes a mono- or bicyclic saturated, unsaturated or aromatic heterocycle having 1 to 4 N, O and/or S atoms, which may be unsubstituted or mono- or disubstituted by carbonyl oxygen, =S, =N(R <sup>3</sup> ) <sub>2</sub> , Hal, A, OR <sup>3</sup> , N(R <sup>3</sup> ) <sub>2</sub> , NO <sub>2</sub> , CN, COOR <sup>3</sup> , CON(R <sup>3</sup> ) <sub>2</sub> , NR <sup>3</sup> COA, NR <sup>3</sup> CON(R <sup>3</sup> ) <sub>2</sub> , NR <sup>3</sup> SO <sub>2</sub> A, COR <sup>3</sup> , SO <sub>2</sub> N(R <sup>3</sup> ) <sub>2</sub> and/or S(O) <sub>n</sub> A,
Hal	denotes F, Cl, Br or I,
m	denotes 1 or 2,
n	denotes 0, 1 or 2,
o	denotes 1, 2 or 3,

and pharmaceutically usable derivatives, salts, solvates and stereoisomers thereof, including mixtures thereof in all ratios.

2. (Original) Compounds according to Claim 1, in which  
D denotes phenyl which is unsubstituted or mono- or disubstituted by Hal, A, OR<sup>2</sup> or COOR<sup>2</sup>, or pyridyl which is unsubstituted or monosubstituted by Hal,  
and pharmaceutically usable derivatives, solvates and stereoisomers thereof, including mixtures thereof in all ratios.
3. (Currently Amended) Compounds according to Claim 1 ~~or 2~~, in which  
D denotes phenyl which is monosubstituted by Hal,  
and pharmaceutically usable derivatives, solvates and stereoisomers thereof, including mixtures thereof in all ratios.
4. (Currently Amended) Compounds according to ~~one or more of Claims 1-3~~  
Claim 1, in which  
R<sup>2</sup> denotes H or alkyl having 1, 2, 3, 4, 5 or 6 C atoms,  
and pharmaceutically usable derivatives, solvates and stereoisomers thereof, including mixtures thereof in all ratios.
5. (Currently Amended) Compounds according to ~~one or more of Claims 1-4~~  
Claim 1, in which  
Het denotes a mono- or bicyclic saturated, unsaturated or aromatic heterocycle having 1 to 2 N, O and/or S atoms, which may be unsubstituted or mono- or disubstituted by carbonyl oxygen, OH or OA,  
and pharmaceutically usable derivatives, solvates and stereoisomers thereof, including mixtures thereof in all ratios.

6. (Currently Amended) Compounds according to ~~one or more of Claims 1-5~~  
Claim 1, in which  
Y denotes Ar-diyl,  
and pharmaceutically usable derivatives, solvates and stereoisomers thereof,  
including mixtures thereof in all ratios.
7. (Currently Amended) Compounds according to ~~one or more of Claims 1-8~~  
Claim 1, in which  
Ar denotes phenyl which is unsubstituted or mono-, di- or  
trisubstituted by Hal, A, OR<sup>2</sup>, SO<sub>2</sub>A, SO<sub>2</sub>NH<sub>2</sub>, COOR<sup>2</sup> or CN,  
and pharmaceutically usable derivatives, solvates and stereoisomers thereof,  
including mixtures thereof in all ratios.
8. (Currently Amended) Compounds according to ~~one or more of Claims 1-7~~  
Claim 1, in which  
R<sup>1</sup> denotes alkyl having 1, 2, 3, 4, 5 or 6 C atoms which is  
monosubstituted by S(O)<sub>m</sub>R<sup>2</sup>, SO<sub>2</sub>N(R<sup>2</sup>)<sub>2</sub>, SO<sub>3</sub>R<sup>2</sup>, S(=O)(=NR<sup>2</sup>)R<sup>2</sup>,  
NR<sup>2</sup>SO<sub>2</sub>R<sup>2</sup>, OSO<sub>2</sub>R<sup>2</sup>, OSO<sub>2</sub>N(R<sup>2</sup>)<sub>2</sub> or PO(OR<sup>2</sup>)<sub>2</sub>,  
and pharmaceutically usable derivatives, solvates and stereoisomers thereof,  
including mixtures thereof in all ratios.
9. (Currently Amended) Compounds according to ~~one or more of Claims 1-8~~  
Claim 1, in which  
X denotes NH or O,  
and pharmaceutically usable derivatives, solvates and stereoisomers thereof,  
including mixtures thereof in all ratios.
10. (Currently Amended) Compounds according to ~~one or more of Claims 1-9~~  
Claim 1, in which

T denotes a mono- or bicyclic saturated, unsaturated or aromatic heterocycle having 1 to 2 N and/or O atoms, which may be mono- or disubstituted by =O, OH or OA,  
or  $N(R^2)_2$   
and, if Y = piperidine-1,4-diyl, also  $R^2$  or cycloalkyl,  
and pharmaceutically usable derivatives, solvates and stereoisomers thereof, including mixtures thereof in all ratios.

11. (Currently Amended) Compounds according to ~~one or more of Claims 1-10~~  
Claim 1, in which

Y denotes phenylene which is unsubstituted or monosubstituted by A,  
and pharmaceutically usable derivatives, solvates and stereoisomers thereof, including mixtures thereof in all ratios.

12. (Currently Amended) Compounds according to ~~one or more of Claims 1-11~~  
Claim 1, in which

W denotes absent,  
and pharmaceutically usable derivatives, solvates and stereoisomers thereof, including mixtures thereof in all ratios.

13. (Currently Amended) Compounds according to ~~one or more of Claims 1-12~~  
Claim 1, in which

D denotes phenyl which is monosubstituted by Hal,  
 $R^1$  denotes alkyl having 1, 2, 3, 4, 5 or 6 C atoms which is monosubstituted by  $S(O)_mR^2$ ,  $SO_2N(R^2)_2$ ,  $SO_3R^2$ ,  $S(=O)(=NR^2)R^2$ ,  $NR^2SO_2R^2$ ,  $OSO_2R^2$ ,  $OSO_2N(R^2)_2$  or  $PO(OR^2)_2$ ,  
 $R^2$  denotes H or alkyl having 1, 2, 3, 4, 5 or 6 C atoms,  
W denotes  $-(CH_2)_n-$ ,  
X denotes NH or O,  
Y denotes Ar-diyl,  
T denotes a mono- or bicyclic saturated, unsaturated or aromatic

heterocycle having 1 to 2 N and/or O atoms which is mono- or disubstituted by =O,

or  $N(R^2)_2$

and, if Y = piperidine-1,4-diyl, also  $R^2$  or cycloalkyl,

A denotes unbranched or branched alkyl having 1-10 C atoms, in which one or two  $CH_2$  groups may be replaced by O or S atoms and/or by  $-CH=CH-$  groups and/or also 1-7 H atoms may be replaced by F,

Ar denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, A,  $OR^2$ ,  $SO_2A$ ,  $SO_2NH_2$ ,  $COOR^2$  or CN,

Hal denotes F, Cl, Br or I,

m denotes 1 or 2,

n denotes 0, 1 or 2,

and pharmaceutically usable derivatives, solvates and stereoisomers thereof, including mixtures thereof in all ratios.

14. (Currently Amended) Compounds according to ~~one or more of Claims 1-13~~  
Claim 1, in which

D denotes phenyl which is monosubstituted by Hal,

$R^1$  denotes alkyl having 1, 2, 3, 4, 5 or 6 C atoms which is monosubstituted by  $S(O)_mR^2$ ,  $SO_2N(R^2)_2$ ,  $SO_3R^2$ ,  $S(=O)(=NR^2)R^2$ ,  $NR^2SO_2R^2$ ,  $OSO_2R^2$ ,  $OSO_2N(R^2)_2$  or  $PO(OR^2)_2$ ,

$R^2$  denotes H or alkyl having 1, 2, 3, 4, 5 or 6 C atoms,

W denotes  $-(CH_2)_n-$ ,

X denotes NH or O,

Y denotes Ar-diyl,

T denotes piperidin-1-yl, 2-oxopiperidin-1-yl, 2-oxopyrrolidin-1-yl, pyrrolidin-1-yl, 2-oxo-1*H*-pyridin-1-yl, 3-oxomorpholin-4-yl, morpholin-4-yl, 4-oxo-1*H*-pyridin-1-yl, 2,6-dioxopiperidin-1-yl, 2-oxopiperazin-1-yl, 2,6-dioxopiperazin-1-yl, 2,5-dioxopyrrolidin-1-yl, 2-oxo-1,3-oxazolidin-3-yl, 3-oxo-2*H*-pyridazin-2-yl,

2-caprolactam-1-yl (= 2-oxoazepan-1-yl), 2-hydroxy-6-oxopiperazin-1-yl, 2-methoxy-6-oxopiperazin-1-yl, 2-azabicyclo[2.2.2]octan-3-on-2-yl, 5,6-dihydro-1*H*-pyrimidin-2-oxo-1-yl, 2-oxo-1,3-oxazinan-3-yl or 4*H*-1,4-oxazin-4-yl, or N(R<sup>2</sup>)<sub>2</sub>

and, if Y = piperidine-1,4-diyl, also R<sup>2</sup> or cycloalkyl,

A denotes unbranched or branched alkyl having 1-10 C atoms, in which one or two CH<sub>2</sub> groups may be replaced by O or S atoms and/or by -CH=CH- groups and/or also 1-7 H atoms may be replaced by F,

Ar denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, A, OR<sup>2</sup>, SO<sub>2</sub>A, SO<sub>2</sub>NH<sub>2</sub>, COOR<sup>2</sup> or CN,

Hal denotes F, Cl, Br or I,

m denotes 1 or 2,

n denotes 0, 1 or 2,

and pharmaceutically usable derivatives, solvates and stereoisomers thereof, including mixtures thereof in all ratios.

15. (Currently Amended) Compounds according to ~~one or more of Claims 1-14~~  
Claim 1, in which

D denotes phenyl which is monosubstituted by Hal,

R<sup>1</sup> denotes alkyl having 1, 2, 3, 4, 5 or 6 C atoms which is monosubstituted by S(O)<sub>m</sub>R<sup>2</sup>, SO<sub>2</sub>N(R<sup>2</sup>)<sub>2</sub>, SO<sub>3</sub>R<sup>2</sup>, S(=O)(=NR<sup>2</sup>)R<sup>2</sup>, NR<sup>2</sup>SO<sub>2</sub>R<sup>2</sup>, OSO<sub>2</sub>R<sup>2</sup>, OSO<sub>2</sub>N(R<sup>2</sup>)<sub>2</sub> or PO(OR<sup>2</sup>)<sub>2</sub>,

R<sup>2</sup> denotes H or alkyl having 1, 2, 3, 4, 5 or 6 C atoms,

W denotes -(CH<sub>2</sub>)<sub>n</sub>-,

X denotes NH or O,

Y denotes phenylene which is unsubstituted or monosubstituted by A,

T denotes piperidin-1-yl, 2-oxopiperidin-1-yl, 2-oxopyrrolidin-1-yl, pyrrolidin-1-yl, 2-oxo-1*H*-pyridin-1-yl, 3-oxomorpholin-4-yl, morpholin-4-yl, 4-oxo-1*H*-pyridin-1-yl, 2,6-dioxopiperidin-1-yl,

2-oxopiperazin-1-yl, 2,6-dioxopiperazin-1-yl, 2,5-dioxopyrrolidin-1-yl, 2-oxo-1,3-oxazolidin-3-yl, 3-oxo-2*H*-pyridazin-2-yl, 2-caprolactam-1-yl (= 2-oxoazepan-1-yl), 2-hydroxy-6-oxopiperazin-1-yl, 2-methoxy-6-oxopiperazin-1-yl, 2-azabicyclo[2.2.2]octan-3-on-2-yl, 5,6-dihydro-1*H*-pyrimidin-2-oxo-1-yl, 2-oxo-1,3-oxazinan-3-yl or 4*H*-1,4-oxazin-4-yl, or N(R<sup>2</sup>)<sub>2</sub>

and, if Y = piperidine-1,4-diyl, also R<sup>2</sup> or cycloalkyl,

- A denotes unbranched or branched alkyl having 1-10 C atoms, in which one or two CH<sub>2</sub> groups may be replaced by O or S atoms and/or by -CH=CH- groups and/or also 1-7 H atoms may be replaced by F,
- Y denotes phenylene which is unsubstituted or monosubstituted by A,
- Hal denotes F, Cl, Br or I,
- m denotes 1 or 2,
- n denotes 0, 1 or 2,

and pharmaceutically usable derivatives, solvates and stereoisomers thereof, including mixtures thereof in all ratios.

#### 16. (Original) Compounds according to Claim 1

2-[3-(4-chlorophenyl)ureido]-*N*-[4-(2-oxo-2*H*-pyridin-1-yl)phenyl]-4-methanesulfonylbutyramide,

2-[3-(4-chlorophenyl)ureido]-*N*-[4-(2-oxo-2*H*-pyrazin-1-yl)phenyl]-4-methanesulfonylbutyramide,

2-[3-(4-chlorophenyl)ureido]-*N*-[4-(3-oxomorpholin-4-yl)phenyl]-4-methanesulfonylbutyramide,

(*R*)-2-[3-(4-chlorophenyl)ureido]-*N*-[4-(3-oxomorpholin-4-yl)phenyl]-4-methanesulfonylbutyramide,

(*R*)-2-[3-(4-chlorophenyl)ureido]-*N*-[4-(2-oxo-2*H*-pyridin-1-yl)phenyl]-3-methanesulfonylpropionamide,



(S)-2-[3-(4-chlorophenyl)ureido]-N-[4-(2-oxo-2*H*-pyridin-1-yl)phenyl]-3-methanesulfonylpropionamide,

(S)-2-[N-(4-chlorophenyl)carbamoyloxy]-N-[4-(3-oxomorpholin-4-yl)phenyl]-3-methanesulfonylpropionamide,

(R)-2-[N-(4-chlorophenyl)carbamoyloxy]-N-[4-(3-oxomorpholin-4-yl)phenyl]-3-methanesulfonylpropionamide,

(R)-2-[3-(4-chlorophenyl)ureido]-N-[4-(2-oxo-2*H*-pyridin-1-yl)phenyl]-4-methanesulfonylbutyramide,

(S)-2-[3-(4-chlorophenyl)ureido]-N-[4-(3-oxomorpholin-4-yl)phenyl]-3-methanesulfonylpropionamide,

2-[N-(4-chlorophenyl)carbamoyloxy]-N-[4-(2-oxo-2*H*-pyridin-1-yl)phenyl]-3-methanesulfonylpropionamide,

2-[3-(4-chlorophenyl)ureido]-N-[4-(3-oxomorpholin-4-yl)phenyl]-3-sulfopropionamide

2-[3-(4-chlorophenyl)ureido]-N-[4-(2-oxo-2*H*-pyridin-1-yl)phenyl]-3-sulfopropionamide,

(S)-2-[3-(4-chlorophenyl)ureido]-N-[4-(3-oxomorpholin-4-yl)phenyl]-3-(dimethoxyphosphoryl)propionamide,

2-[3-(4-chlorophenyl)ureido]-N-[4-(2-oxopiperidin-1-yl)phenyl]-3-(dimethoxyphosphoryl)propionamide,

2-[3-(4-chlorophenyl)ureido]-N-[4-(3-oxomorpholin-4-yl)phenyl]-3-phosphonopropionamide,

2-[3-(4-chlorophenyl)ureido]-N-[4-(3-oxomorpholin-4-yl)phenyl]-4-(methanesulfoximinyl)butyramide,

2-[3-(4-chlorophenyl)ureido]-N-[4-(2-oxo-2*H*-pyridin-1-yl)phenyl]-3-sulfamoylpropionamide,

2-[3-(4-chlorophenyl)ureido]-N-[4-(3-oxomorpholin-4-yl)phenyl]-3-methanesulfonylaminopropionamide,

2-[3-(4-chlorophenyl)ureido]-N-[4-(3-oxomorpholin-4-yl)phenyl]-3-sulfamoyloxypropionamide,

(R)-2-[3-(4-chlorophenyl)ureido]-N-[3-methyl-4-(3-oxomorpholin-4-yl)-

phenyl]-3-methanesulfonylpropionamide,

(R)-2-[3-(4-chlorophenyl)ureido]-N-[4-(2-oxo-1,3-oxazinan-3-yl)-

phenyl]-3-methanesulfonylpropionamide,

(R)-2-[3-(4-chlorophenyl)ureido]-N-[3-methyl-4-(3-oxomorpholin-4-yl)-

phenyl]-4-methanesulfonylbutyramide,

(R)-2-[3-(4-chlorophenyl)ureido]-N-[4-(3-oxomorpholin-4-yl)phenyl]-3-sulfamoyloxypropionamide,

(R)-2-[3-(4-chlorophenyl)ureido]-N-[4-(3-oxomorpholin-4-yl)phenyl]-3-(dimethoxyphosphoryl)propionamide,


(R)-2-[3-(4-chlorophenyl)ureido]-N-[3-methyl-4-(3-oxomorpholin-4-yl)-phenyl]-3-(dimethoxyphosphoryl)propionamide,

(S)-2-[3-(4-chlorophenyl)ureido]-N-[3-methyl-4-(3-oxomorpholin-4-yl)-phenyl]-3-(dimethoxyphosphoryl)propionamide,

and pharmaceutically usable derivatives, salts, solvates and stereoisomers thereof, including mixtures thereof in all ratios.

17. (Currently Amended) Process for the preparation of compounds of the formula I according to ~~Claims 1-16~~ Claim 1 and pharmaceutically usable derivatives, solvates and stereoisomers thereof, characterised in that

- a) a compound of the formula II



in which

R<sup>1</sup>, T, W, X and Y have the meaning indicated in Claim 1,

is reacted with a compound of the formula III



in which

D has the meaning indicated in Claim 1,


or

b) a compound of the formula IV



in which W, Y and T have the meaning indicated in Claim 1,

is reacted with a compound of the formula V



in which

L denotes Cl, Br, I or a free or reactively functionally modified OH group and  
R<sup>1</sup>, X and D have the meanings indicated in Claim 1,

or

c) a radical R<sup>1</sup> is converted into another radical R<sup>1</sup> by oxidising the radical R<sup>1</sup>

and/or a base or acid of the formula I is converted into one of its salts.

18. (Currently Amended) Compounds of the formula I according to ~~one or more of Claims 1 to 16~~ Claim 1 as inhibitors of coagulation factor Xa.

19. (Currently Amended) Compounds of the formula I according to ~~one or more of Claims 1 to 16~~ Claim 1 as inhibitors of coagulation factor VIIa.
20. (Currently Amended) Medicaments comprising at least one compound of the formula I according to ~~one or more of Claims 1 to 16~~ Claim 1 and/or pharmaceutically usable derivatives, salts, solvates and stereoisomers thereof, including mixtures thereof in all ratios, and optionally excipients and/or adjuvants.
21. (Currently Amended) Medicaments comprising at least one compound of the formula I according to ~~one or more of Claims 1 to 16~~ Claim 1 and/or pharmaceutically usable derivatives, salts, solvates and stereoisomers thereof, including mixtures thereof in all ratios, and at least one further medicament active ingredient.
22. (Currently Amended) Use of compounds according to ~~one or more of Claims 1 to 16~~ Claim 1 and/or physiologically acceptable salts and solvates thereof for the preparation of a medicament for the treatment of thromboses, myocardial infarction, arteriosclerosis, inflammation, apoplexy, angina pectoris, restenosis after angioplasty, claudicatio intermittens, migraine, tumours, tumour diseases and/or tumour metastases.
23. (Currently Amended) Set (kit) consisting of separate packs of
  - (a) an effective amount of a compound of the formula I according to ~~one or more of Claims 1 to 16~~ Claim 1 and/or pharmaceutically usable derivatives, salts, solvates and stereoisomers thereof, including mixtures thereof in all ratios,  
and
  - (b) an effective amount of a further medicament active ingredient.

24. (Currently Amended) Use of compounds of the formula I according to ~~one or more of Claims 1 to 16~~ Claim 1 and/or pharmaceutically usable derivatives, salts, solvates and stereoisomers thereof, including mixtures thereof in all ratios, for the preparation of a medicament for the treatment of thromboses, myocardial infarction, arteriosclerosis, inflammation, apoplexy, angina pectoris, restenosis after angioplasty, claudicatio intermittens, migraine, tumours, tumour diseases and/or tumour metastases, in combination with at least one further medicament active ingredient.